

Doxem[®] Precise Dry Flowable Cockroach Bait

Service Protocol 4: Residential - German Cockroach Management

INITIAL TREATMENT:

Start with an inspection of the property and properly identifying the pest in question. Begin by assessing the population size, location and severity. Note conducive conditions and recommend repair/mitigation of these conditions where appropriate.

STEP 1: Physically remove as many cockroaches as possible using integrated means such as vacuuming, glue boards or traps.

STEP 2: Make applications of Doxem Precise into cracks, crevices, voids where cockroaches or other pests are active. Make applications of 3-8 seconds where cockroaches are observed. Examples of areas to treat:

- Cabinet voids
- High moisture areas (dishwashers, sinks)
- Refrigerators (motor housings, compressors, drains)
- Around ovens/microwaves
- Bathroom cabinets
- Paper bags/cardboard box storage

STEP 3: For indoor kitchen/bathroom areas that are not appropriate to apply Doxem Precise, utilize one of the following products:

- Non-repellent aerosol product (Spectre PS)
- Insect growth regulators (Tekko Pro, Pivot, etc.)
- Non-repellent adulticides (Spectre)
- Alternative bait products, lures, glue boards, etc.

STEP 4: In areas not currently infested with German cockroaches, treat with a repellent insecticide to inhibit movement of cockroaches into those areas. (Proflex, Cyzmic CS, D-Fense SC)

Doxem[®] Precise Dry Flowable Cockroach Bait

14 DAY FOLLOW UP:

STEP 1: Re-inspect the property and all treated areas. Determine current activity level and areas where cockroaches might still be active. If the area was missed on the initial treatment, apply Doxem Precise to those areas at the 3-8 seconds per void/crack/crevice. In other areas, apply Doxem only in areas where cockroaches likely consumed some/all of the bait material.

QUARTERLY SPOT TREATMENTS:

STEP 1: Re-inspect the property and all treated areas. Determine current activity level and areas where cockroaches might still be active. In other areas, apply Doxem only in areas where cockroaches likely consumed some/all of the bait material.

STEP 2: For indoor kitchen/bathroom areas that are not appropriate to apply Doxem Precise, utilize one of the following products:

- Non-repellent aerosol products (Spectre PS)
 - Insect growth regulators (Tekko Pro, Pivot, etc.)
 - Non-repellent aduicticides (Spectre)
 - Alternative bait products, lures, glue boards, etc.
-

ANNUALLY:

STEP 1: Re-inspect the property and all treated areas. Determine current activity level and areas where cockroaches might still be active. Make applications of Doxem Precise into cracks, crevices, voids where cockroaches or other pests are active. Make applications of 3-8 seconds where cockroaches are observed. Examples of areas to treat:

- Cabinet voids
- High moisture areas (dishwashers, sinks)
- Refrigerators (motor housings, compressors, drains)
- Around ovens/microwaves
- Bathroom cabinets
- Paper bags/cardboard box storage

Doxem[®] Precise Dry Flowable Cockroach Bait

STEP 2: For indoor kitchen/bathroom areas that are not appropriate to apply Doxem Precise, utilize one of the following products:

- Non-repellent aerosol products (Spectre PS)
- Insect growth regulators (Tekko Pro, Pivot, etc.)
- Non-repellent adulticides (Spectre)
- Alternative bait products, lures, glue boards, etc.

STEP 3: In areas not currently infested with German cockroaches, treat with a repellent insecticide to inhibit movement of cockroaches into those areas. (Proflex, Cyzmic CS, D-Fense SC, D-Fense NXT)

For More Information:

CSI-PDS.com



CSI-Pest.com
f @csipest t @csi_pest